



扫微信二维码
关注谱尼测试

2021年4月份#谱尼测试



160000343608

检测报告

No. A2B40204000AZa

委托单位 北京南宫生物质能源有限公司

受测单位 北京南宫生物质能源有限公司

签发日期 2021年05月08日

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com



声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal of inspection, cross-page seal and the approver's signatures.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标, 其受《中华人民共和国商标法》保护, 任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为, 本单位将依法追究其法律责任。
The pattern and characters of "PONY" and "谱尼" used in this report are protected by the trademark law of the People's Republic of China. Any unauthorized usage, counterfeit, forgery and alteration of trademarks of "PONY" and "谱尼" are the violations of the law. The PONY has the right to pursue all legal liabilities of the subject of the delict.
3. 委托单位对报告数据如有异议, 请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请, 同时附上报告原件并预付复测费。
If the applicant has any questions about the results, shall provide a written retest application with the original report, and prepay the retest fees to PONY within fifteen days since the approval date (as an exception, it shall be within five days since the date received for the primary agriculture products report).
4. 委托单位办理完毕以上手续后, 本单位会尽快安排复测。如果复测结果与异议内容相符, 本单位将退还委托单位的复测费。
After the applicant finishes the procedure mentioned above, PONY shall arrange the retest as soon as possible. If the retest result accords with the applicant dissent, PONY shall refund the retest fees.
5. 不可重复性或不能进行复测的实验, 不进行复测, 委托单位放弃异议权利。
Tests that can not be repeated and tested shall not be carried out again.
6. 委托单位对样品的代表性和资料的真实性负责, 否则本单位不承担任何相关责任。
The applicant should undertake the responsibility for the provided samples' representativeness and document authenticity. Otherwise, PONY has not any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责, 报告数据仅反映对所测样品的评价, 对于报告及所载内容的使用、使用所产生的直接或间接损失及一切法律后果, 本单位不承担任何经济和法律后果。
This report is only responsible for the test results of the tested sample. The test results only represent the evaluation of the tested sample. PONY will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.
8. 本单位有权在完成报告后按规定方式处理所测样品。
PONY has the right to dispose the tested sample by rules, after approval of the test report.
9. 本单位保证工作的客观公正性, 对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效, 本单位将对上述行为追究其相应的法律责任。
The report is invalid in case of illegal transfer, embezzlement, imposture, modification or any altering, reproducing except in full, without approval of PONY. PONY shall investigate and affix the applicant's legal liability accordingly.

▲防伪说明 (Anti-counterfeiting Description):

- (1) 报告编号是唯一的;
The test report has exclusive report code.
- (2) 报告采用特制防伪纸张印制, 纸张表面带有“PONY”防伪纹路, 该防伪纹路不支持复印, 即复制件不会带有“PONY”防伪纹路。
The test report is printed by anti-copying paper whose surface shows "PONY" security print with specific anticounterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.



全国服务热线
400-819-5688

WWW.PONYTEST.COM

扫描二维码

关注谱尼测试微信

公众号 PONY4008195688



北京实验室: (010) 83055000	武汉实验室: (027) 85446975	新疆实验室: (0991) 6684186	太原实验室: (0351) 7555722
上海实验室: (021) 64851999	武汉车附所: (027) 82318175	石家庄实验室: (0311) 85376660	南宁实验室: (0771) 5518818
青岛实验室: (0532) 88706866	长春实验室: (0431) 80530198	西安实验室: (029) 89608785	合肥实验室: (0551) 63843474
深圳实验室: (0755) 26050909	大连实验室: (0411) 87336618	杭州实验室: (0571) 87219096	广州实验室: (020) 89224310
天津实验室: (022) 23607888	哈尔滨实验室: (0451) 58627755	宁波实验室: (0574) 87977185	厦门实验室: (0592) 5568048
苏州实验室: (0512) 62997900	郑州实验室: (0371) 69350670	呼和浩特实验室: (0471) 3450025	成都实验室: (028) 87702708

检测报告

No. A2B40204000AZa

第 1 页, 共 3 页

委托单位	北京南宫生物质能源有限公司		
受测单位	北京南宫生物质能源有限公司		
受测地址	北京市大兴区青云店镇南大门村南宫生活垃圾焚烧厂		
采样日期	2021-04-07	检测日期	2021-04-07~2021-04-22
排气筒名称	1#焚烧炉废气排气筒	样品编号	A2B0L920-01~A2B0L921-02
焚烧炉厂家	三菱马丁	焚烧炉型号	机械炉排炉
焚烧炉投运日期	2017.06	垃圾处理量 (t/d)	488
排气筒高度(m)	80	净化设备名称/型号	脱酸塔+活性炭喷射+布袋除尘器+SCR/F1000+SR12.5-1
大气压(kPa)	102.0	净化方式	旋转喷雾法+活性炭吸附+布袋除尘+SCR
采样位置	净化后	烟气含湿量(%)	20.3
烟气含氧量(%)	6.7	烟气平均流速(m/s)	18.4
测点烟气温度(°C)	166	标态干废气量(m ³ /h)	1.25×10 ⁵
检测项目	实测排放浓度(mg/m ³)	折算排放浓度(mg/m ³)	排放速率(kg/h)
颗粒物	3.1	2.2	0.388
氯化氢	3.32	2.32	0.415
氟化氢	<0.08	<0.06	5.00×10 ⁻³
二氧化硫	<3	<2	0.188
氮氧化物	234	164	29.2
一氧化碳	5	3	0.625
汞及其化合物第1次	<2.5×10 ⁻³	<1.7×10 ⁻³	1.56×10 ⁻⁴
汞及其化合物第2次	<2.5×10 ⁻³	<1.7×10 ⁻³	1.56×10 ⁻⁴
汞及其化合物第3次	<2.5×10 ⁻³	<1.7×10 ⁻³	1.56×10 ⁻⁴
汞及其化合物测定均值	<2.5×10 ⁻³	<1.7×10 ⁻³	1.56×10 ⁻⁴
镉、铊及其化合物第1次	<8.00×10 ⁻⁶	<5.59×10 ⁻⁶	5.00×10 ⁻⁷
镉、铊及其化合物第2次	8.32×10 ⁻⁶	5.82×10 ⁻⁶	1.04×10 ⁻⁶
镉、铊及其化合物第3次	<8.00×10 ⁻⁶	<5.59×10 ⁻⁶	5.00×10 ⁻⁷
镉、铊及其化合物测试均值	<8.00×10 ⁻⁶	<5.59×10 ⁻⁶	5.00×10 ⁻⁷
铈、砷、铅、铬、钴、铜、锰、镍及其化合物第1次	1.08×10 ⁻²	7.55×10 ⁻³	1.35×10 ⁻³
铈、砷、铅、铬、钴、铜、锰、镍及其化合物第2次	1.11×10 ⁻²	7.76×10 ⁻³	1.39×10 ⁻²
铈、砷、铅、铬、钴、铜、锰、镍及其化合物第3次	7.25×10 ⁻³	5.07×10 ⁻³	9.06×10 ⁻⁴
铈、砷、铅、铬、钴、铜、锰、镍及其化合物测试均值	9.72×10 ⁻³	6.80×10 ⁻³	1.22×10 ⁻³
烟气黑度(林格曼,级)	<1		
备注	1、依据 GB18485-2014 生活垃圾焚烧污染物控制标准, 污染物折算排放浓度以标准状态下含 11% O ₂ 的干烟气作为换算基准; 2、未检出项目排放速率按其最低检出浓度的一半计算。		

检测报告

No. A2B40204000AZa

第 2 页, 共 3 页

附表 1:

检测项目方法仪器一览表

检测项目	检测方法	检测仪器	采样仪器
颗粒物	固定污染源废气 低浓度颗粒物的测定 重量法 HJ 836-2017	电子天平	自动烟尘(气)测试仪,智能烟气综合分析仪,智能双路烟气采样器,林格曼烟气黑度图 等
氯化氢	环境空气和废气 氯化氢的测定 离子 色谱法 HJ 549-2016	离子色谱仪	
氟化氢	固定污染源废气 氟化氢的测定 离子色谱法 HJ 688-2019	离子色谱仪	
二氧化硫	固定污染源废气 二氧化硫的测定 定 电位电解法 HJ 57-2017	智能烟气综合分析仪	
氮氧化物	固定污染源废气 氮氧化物的测定 定 电位电解法 HJ 693-2014	智能烟气综合分析仪	
一氧化碳	固定污染源废气 一氧化碳的测定 定 电位电解法 HJ 973-2018	智能烟气综合分析仪	
汞及其化合物	固定污染源废气 汞的测定 冷原子吸 收分光光度法(暂行) HJ 543-2009	冷原子吸收测汞仪	
镉/镉及其化合物	空气和废气 颗粒物中铅等金属元素的 测定 电感耦合等离子体质谱法 HJ 657-2013	电感耦合等离子体质谱仪	
砷/砷及其化合物			
铅/铅及其化合物			
铬/铬及其化合物			
锑/锑及其化合物			
铜/铜及其化合物			
锰/锰及其化合物			
钴/钴及其化合物			
铊/铊及其化合物			
镍/镍及其化合物	固定污染源排放烟气黑度的测定 林格 曼烟气黑度图法 HJ/T 398-2007	林格曼烟气黑度图	
烟气黑度			

检测报告

No. A2B40204000AZa

第 3 页, 共 3 页

附表 2:

检测仪器 (名称、型号、公司编号)

设备名称	设备型号	公司编号
电子天平	MS105DU	IE-2074
离子色谱仪	DIONEX AQ-1100	IE-4785
冷原子吸收测汞仪	NCG-1	IE-2350
林格曼烟气黑度图	—	A2-AE-M03
自动烟尘(气)测试仪	3012H	IE-1045
智能双路烟气采样器	3072	IE-2659
智能烟气综合分析仪	F550	IE-2792
电感耦合等离子体质谱仪	NexION 350X	IE-1842

备注: 该报告中检测方法由委托单位指定。

——以下空白——



编制:

焦志蓝

审核:

豆新全

批准:

