



# 检 测 报 告

## (无组织废气)

No. A2EA280640005LZ

委托单位 北京南宫生物质能源有限公司

受测单位 北京南宫生物质能源有限公司

签发日期 2024年11月22日

**PONY 谱尼测试**  
Pony Testing International Group  
[www.ponytest.com](http://www.ponytest.com)



查询密码:Bt0EeQvRaZ



声 明  
Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。  
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标，其受《中华人民共和国商标法》保护，任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为，本单位将依法追究其法律责任。  
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议，请于报告完成之日起十五日内（初级农产品报告请于报告收到之日起五日内）向本单位书面提出复测申请，同时附上报告原件并预付复测费。  
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后，本单位会尽快安排复测。如果复测结果与异议内容相符，本单位将退还委托单位的复测费。  
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验，不进行复测，委托单位放弃异议权利。  
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责，否则本单位不承担任何相关责任。  
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责，检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用，使用所产生的直接或间接损失及一切法律后果，本单位不承担任何经济和法律责任。  
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品，除客户特别声明并支付样品管理费，所有超过标准规定时效期的样品均不再做留样。  
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性，对委托单位的商业信息、技术文件等商业秘密履行保密义务。  
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制（全文复制除外）或以其它任何形式的篡改均属无效，本单位将对上述行为严究其相应的法律责任。  
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

\*\*\*\*\*  
**▲防伪说明 (Anti-counterfeiting Instructions) :**

1. 报告编号是唯一的；  
The report number is unique.
2. 扫描报告首页下方二维码，即可查询报告真伪。  
Scan the QR code below the first page to check the authenticity of the report.

全国服务热线  
**400-819-5688**

[WWW.PONYTEST.COM](http://WWW.PONYTEST.COM)

北京实验室: (010)83055000	郑州实验室: (0371)69350670	贵州鼎盛检测有限公司: (0851)84133211	武汉化学实验室: (027)83997137
北京谱尼科技公司: (010)80415661	新疆实验室: (0991)6684186	上海实验室: (021)64851999	湖北中佳合成制药公司: (0728)5335384
北京谱尼计量实验室: (010)82492998	石家庄实验室: (0311)85376660	上海谱尼生物医药实验室:	谱尼丰附属检测技术有限公司: (027)82318175
青岛实验室: (0532)88706866	西安实验室: (029)89608785	(021)34189000-6515	杭州实验室: (0571)87219096
天津实验室: (022)23607888	西安创尼信息科技有限公司: (029)81123093	上海谱尼新能源实验室: (021)57877071	合肥实验室: (0551)63843474
长春实验室: (0431)80530198	西安壹德威克辐射技术公司: (029)85729073	上海谱尼计量实验室: (021)67601281	广东深圳实验室/深圳谱尼计量实验室: (0755)26050909
吉林软合校准检测实验室: (0431)80530190	呼和浩特实验室: (0471)3450025	江苏苏州实验室/苏州谱尼计量实验室: (0512)62997900	谱尼深圳通测实验室: (0755)27673339
沈阳实验室: (024)22811886	成都实验室: (028)87702708	苏州汽车座椅实验室及儿童安全座	南宁实验室: (0771)5518818
大连实验室: (0411)87336618	成都谱尼计量实验室: (028)87702708	椅碰撞实验室: (0512)62997900	厦门实验室: (0592)5568048
哈尔滨实验室: (0451)58627755	贵阳实验室: (0851)85221000		



集团微信订阅号



集团微博账号


## 检测报告

No. A2EA280640005LZ

第 1 页, 共 2 页

委托单位	北京南宫生物质能源有限公司			
委托单位地址	北京市大兴区青云店镇南大红门村南宫生活垃圾焚烧厂			
受测单位	北京南宫生物质能源有限公司			
受测地址	北京市大兴区青云店镇南大红门村南宫生活垃圾焚烧厂			
采样日期	2024-11-07	检测日期	2024-11-07~2024-11-20	
样品编号	A2E38057-01~A2E38060-08	检测类别	采样检测	
平均风向	东北( $41^{\circ}\pm10^{\circ}$ )	平均风速 (m/s)	1.8	
天气情况	晴	大气压 (kPa)	102.4	
检测方法	见附表 1			
检测仪器	见附表 2			

采样点位 (见附图)	二氧化硫 (mg/m <sup>3</sup> )	一氧化碳 (mg/m <sup>3</sup> )	氮氧化物 (mg/m <sup>3</sup> )	总悬浮颗粒物/ 颗粒物 (mg/m <sup>3</sup> )	甲烷 (%)
上风向○1	<0.007	1.00	0.046	0.156	$2.58 \times 10^{-4}$
下风向○2	<0.007	1.50	0.064	0.209	$2.62 \times 10^{-4}$
下风向○3	0.009	1.62	0.052	0.287	$2.72 \times 10^{-4}$
下风向○4	0.012	1.50	0.066	0.296	$2.72 \times 10^{-4}$
监控点浓度	0.012	0.62	0.020	0.140	$2.72 \times 10^{-4}$
DB11/501-2017 表3 浓度限值	0.40 <sup>b</sup>	3.0 <sup>b</sup>	0.12 <sup>b</sup>	0.30 <sup>a,b</sup>	—
备注	1、 <sup>a</sup> 在实际监测该污染物的单位周界无组织排放监控点浓度时，监测颗粒物； 2、 <sup>b</sup> 该污染物的无组织排放浓度限值为监控点与参照点浓度差值； 3、气温：8.6°C。				



## 检测报告

No. A2EA280640005LZ

第 2 页, 共 2 页

附表 1:

检测项目方法仪器一览表

检测项目	分析方法	仪器设备	采样仪器
总悬浮颗粒物/ 颗粒物	环境空气 总悬浮颗粒物的测定 重量法 HJ 1263-2022	电子天平	空气/智能 TSP 综合采样器 等
氮氧化物	环境空气 氮氧化物(一氧化氮和二氧化氮)的测定 盐酸萘乙二胺分光光度法 HJ 479-2009	紫外可见分光光度计	
二氧化硫	环境空气 二氧化硫的测定 甲醛吸收-副玫瑰苯胺分光光度法 HJ 482-2009	紫外可见分光光度计	
一氧化碳	空气质量 一氧化碳的测定 非分散红外法 GB/T 9801-1988	便携式红外线 CO 气体分析仪	
甲烷	环境空气 总烃、甲烷和非甲烷总烃的测定 直接进样-气相色谱法 HJ 604-2017	气相色谱仪	

附表 2:

检测仪器 (名称、型号、公司编号)

设备名称	设备型号	公司编号
电子天平	MS105DU	IE-2074
气相色谱仪	3420A	IE-3087
紫外可见分光光度计	UV-1800	IE-3372
空气/智能 TSP 综合采样器	2050	IE-1803、IE-1804、IE-2481、IE-2548
便携式红外线 CO 气体分析仪	GXH-3011A	IE-2585、IE-2586

备注: 该报告中检测方法由委托单位指定。

——以下空白——



编制:

曹华

审核:

赵凤辉

批准:

王晓慧